





Se-KureControls®



PRODUCT GUIDE

FOR RETAIL SECURITY & SAFETY





Roger J. Leyden
Founder & Chairman

A Word from the Chairman

Since I founded Se-Kure Controls in 1965, we have worked with retailers to reduce shrinkage caused by shoplifting. Over that time, there has been an explosion of new products in the consumer electronics and fashion-focused softlines industry. Added to this challenge are the increased competitive pressures to reduce costs and staffing.

Whether you seek a custom item or a standard product, we strive to keep your costs in line by controlling the manufacturing process. Our three U.S. manufacturing plants are devoted to quality, cost effective production. Our team of professionals can take your idea from concept to completion. By keeping the entire process within Se-Kure Controls, we reduce delivery time, control quality and ensure your satisfaction with the finished product. Our knowledgeable Customer Service Representatives are on hand to answer your questions and assist you with any special requests.

We thank you for your business over the years and for making this edition of our catalog possible. As always, we welcome your comments and ideas and look forward to being your security solutions provider.

Sincerely,

Roger J. Leyden
Chairman & CEO



Laura Greenwell
President

A Word from the President

Taking the reins of a company with a reputation for excellence and reliability since 1965, is a challenge that exhilarates me. Having been on the Se-Kure team since 1983, I am thoroughly versed in all the big picture issues of vision, focus and operations at Se-Kure. It is a joy for me to start my service as Se-Kure's new President with both enormous respect for the legacy Roger has built, and a fresh perspective on how to take us into the next decade. Our products are known across the globe for reliability and our sales force is incomparable in their understanding of loss prevention issues and empathy for customers' needs. At Se-Kure we go the extra mile in our attempt to never let you down. We are always eager to help you solve inventory shrink problems and to respond to your ideas for engineered solutions. Thank you for your loyalty to Se-Kure over the decades! I look forward to meeting you and assuring you of my full attention to your needs.

Sincerely,

Laura Greenwell
President



Se-Kure Controls



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



DISPLAY, PROTECT & POWER-UP YOUR MOST POPULAR PRODUCTS



TABLE OF CONTENTS

Electronic Alarms

Alarm Modules	4-7
Sensors & Accessories	8-9
Vantage II Display System	10-11
Electronic Recoilers & Specialty Alarms ..	12-13

Clothing Security

Klothing Kontrol Alarm	14
Mechanical Clothing Security	15

Mechanical Security

Recoiling Devices	16-17
Coiled Cable Security	18
Peg Hook Locks, Belt Lock, Power Cord Lock Box	19
Design-A-Cable	20
Cables, Plates, Replacement Adhesives	21
Notebook & Smartphone Lockdowns	22
Handbag Security, Heavy Duty Chain & Lock ..	23

Security Mirrors & Domes

DomeVex Wide View & Convex Mirrors	24
Mirrored Domes, Mirrored 1/4, 1/2 & 3/4 Domes	25
Smokie Domes & Globes	26-27
BOB Mirror & Mirrored Panels	28

General Security Devices

EAS Tags, Shoe Coils	29
Annunciators & Electronic Eyes	30
Cash Drop Boxes, Keypad Door Locks & Exit Alarms	31





3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



"ME" JUNIOR PLUS 2 ALARM SYSTEM

STATE-OF-THE-ART TECHNOLOGY – COST EFFECTIVE PROTECTION



- Keypad/Key, Key Only & Infrared Models
- External Horn May Be Added In Field
- "Where-It's-At" Locator Light Option
- LED Displays Indicate Power Status
- Two Circuits Allow Bi-Directional Display Protection
- No Shunt Plugs
- Visual & Audio Low Battery Alert

The "ME" Junior Plus 2 Alarm System


is Easy to Use, Easy to Install, and Easy to Maintain.

It is cost effective and flexible. It has (2) two circuits allowing you to protect in two different directions. An optional external horn or "Where It's At Light" can be added. It requires (4) four "C" cell batteries (not provided) and can be used with any of Se-Kure's full line of sensors and electronic recoilers®.

See Page 8 for Sensors

ITEM NO.	DESCRIPTION
SK-800KME	"ME" Junior Plus 2 Alarm Module with Keypad & Key
SK-800ME	"ME" Junior Plus 2 Alarm Module with Key Only
SK-800MEI	"ME" Junior Plus 2 Alarm Module with Key & Infrared Remote (All "ME" Jr. + 2 Alarm Modules: 7-1/4"W x 3-1/2"H x 4-3/4"D)
SK-395M	AC/DC Power Supply for the "ME" Junior Plus 2 Alarm Module
SK-99-102	Strip Clip for Mounting Strips to Pegboard (requires 2 per strip)
SK-3690	"Where-It's-At" Light for the "ME" Junior Plus 2 System

ITEM NO.	DESCRIPTION
SK-807ME	"ME" Junior Plus 2 (8) Port Splitter with 6' Connecting Cable (4"W x 7/8"H x 2-3/4"D)
SK-80108ME	"ME" Junior Plus 2 (8) Port Strip with 6' Connecting Cable (16"W x 1"H x 1-5/8"D)
SK-800X??	"ME" Junior Plus 2 External Horn (?? = the length of the cable. example: SK-800X-6 has 6' cable)
SK-809	"ME" Junior Plus 2 Alarm System "End Plug"



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



T-SERIES ALARM MODULES

A SELF-CONTAINED DISPLAY ALARM SYSTEM

The **T-Series Alarm Modules** are available as a Mini size or as a full size, (full size alarms available with 5v and 2.5 Amps of power). All come with a power supply (included) and require (6) "AA" batteries (not provided). They can be used with any of Se-Kure's full line of sensors and electronic recoilers® or the Vantage II Merchandise Display System.

Available Options Include:

- Remote Keypad ■ Remote Keyway ■ Remote iButton ■ Remote RFID
- Power ■ External Horn ■ Black or White



T6 & T12 Modules with 5 Volt USB Port Power



T-Series Available for Remote Module

T-Series Alarms are Available for (RM) Remote Modules

* These Models Must Be Used with One of the Remote Modules (Shown on Page 9)



See Page 8 for Sensors

Mini SK-T12MA & SK-T6MA Alarm Modules

All T-Series Alarm Modules Use Any of Se-Kure's Sensors

ITEM NO.	DESCRIPTION
SK-T12-12P	T12 Alarm Module w/12 USB Ports (5-volt Power, 2.5 Amp) White 3.18"W x 9.55"L x 2.45"H (Power Supply Included)
SK-T12MA-W	Mini T12 Alarm Module, White 2-7/8"W x 8.09"L x 1.66"H (Power Supply Included)
SK-T6-6P-W	T6 Alarm Module w/6 USB Ports (5-volt Power, 2.5 Amp) White 3.18"W x 7.21"L x 2.45"H (Power Supply Included)
SK-T6MA-W	Mini T6 Alarm Module, White 2-7/8"W x 5.96"L x 1-7/8"H (Power Supply Included)
SK-T12-12P-RM-W*	T12 Alarm Module w/12 USB Ports (5-volt Power, 2.5 Amp) White 3.18"W x 9.55"L x 2.45"H (Power Supply Included)
SK-T6-6P-RM-W*	T6 Alarm Module w/6 USB Ports (5-volt Power, 2.5 Amp) White 3.18"W x 7.21"L x 2.45"H (Power Supply Included)
SK-T12MA-RM-W*	Mini T12 Alarm Module w/12 Alarm Ports, White 3.18"W x 9.55"L x 2.45"H (Power Supply Included)
SK-T6MA-RM-W*	Mini T6 Alarm Module w/6 Alarm Ports, White 3.18"W x 7.21"L x 2.45"H (Power Supply Included)
SK-TMX-??	Remote External Horn for Mini T-Series Alarm (?? = wire length)

All T-Series Alarms are available in Black or White. Options include External Horn, Remote Keyway*, Remote Keypad*, Remote iButton* and Remote RFID*. Contact Your Regional Sales Director or Se-Kure Customer Service Representative for Assistance.



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com




ME® SR ALARM SYSTEM

**THE MOST ADVANCED
MERCHANDISE DISPLAY
PROTECTION SYSTEM**

See Pages
8 & 9 for
Sensors &
Accessories



- No Shunt Plugs Required
- LED's Identify Locations of Alarmed Sensors
- Audio Low Battery Alert
- Keypad Auto-Arms
- 144 Product Capacity
- Changeable Keypad Codes



ITEM NO.	DESCRIPTION
SK-210KME	ME® Sr Alarm Module with Keypad
SK-210ME	ME® Sr Alarm Module with Key Only
SK-295	AC/DC Power Supply (12v Output)
SK-107ME	ME® Sr 6-Port Splitter Box w/6' Connecting Cable
SK-206ME	ME® Sr 6-Port Splitter Strip w/6' Connecting Cable
SK-212ME	ME® Sr 12-Port Splitter Strip w/6' Connecting Cable

LE® ALARM SYSTEM

**THE ORIGINAL MERCHANDISE
DISPLAY PROTECTION**

See Pages
8 & 9 for
Sensors &
Accessories

- Time-Tested Reliable Performance
- Key Removable Only in Armed Position
- Flexible- Select Splitters or Strips
- Low or No Battery Alert
- External Horn Available
- Changeable Keypad Codes
- Available with Key, Keypad or Remote Modules



ITEM NO.	DESCRIPTION
SK-103LE	LE® Plus Alarm Module with Key
SK-103KLE	LE® Plus Alarm Module with Keypad
SK-103XLE	LE® Plus Alarm Module with Key & External Horn
SK-395M	AC/DC Power Supply for the LE® Plus Alarm Module
SK-107LE	LE® 6-Port Splitter Box w/6' Connecting Cable
SK-10106LE	LE® 6-Port Strip w/6' Connecting Cable
SK-10112LE	LE® 12-Port Strip w/6' Connecting Cable

CABLE ALARM FOR MAXIMUM DISPLAY PROTECTION



- Armored Cable Version Provides Extra Security
- Available in Black or White
- Alarms Available with Standard or Armored Cable
- Available with Option to Power 5v Devices

ITEM NO.	DESCRIPTION
SK-568	Black Armored Cable Alarm
SK-568-W	White Armored Cable Alarm
SK-569	Black Cable Alarm
SK-569-W	White Cable Alarm

SK-525K & SK-525RK ALARM MODULES PROTECT 2 ITEMS - POWER 1



- Compact Alarm Protects 2 Items
- Provides 5v Power for One Item
- Available with a Remote Keyway (SK-525RK)

ITEM NO.	DESCRIPTION
SK-525K	525 Alarm 2 Alarm Ports 1 USB Power Port
SK-525RK	525 Alarm 2 Alarm Ports 1 USB Power Port (Remote Keyway)

(See Pages 8 & 9 for Sensors & Accessories)



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



1-ON-1, 2-ON-1, & 4-ON-1 ALARM SYSTEMS

PROTECTS ONE, TWO OR FOUR DISPLAY ITEMS

See Pages 8 & 9 for Sensors & Accessories



1-ON-1

■ Optional External Horn Available

■ 9v Battery (not included)
■ Low Battery Warning
■ Optional Tamper Switch

1-ON-1 ALARM SYSTEM

ITEM NO.	DESCRIPTION
SK-53602C	1-On-1 Alarm w/1" x 1" Bug Sensor, 6' Coiled Cable & Low Battery Alert
SK-53502C	1-On-1 Alarm w/1" x 1" Bug Sensor, 6' Coiled Cable
SK-536X02C	1-On-1 Alarm w/Ext. Horn, Bug Sensor & 6' Coiled Cable
SK-536X	1-On-1 Alarm w/Ext. Horn & Low Battery Alert (Black)
SK-536-W	1-On-1 Alarm w/Low Battery Alert (White)



2-ON-1

2-ON-1 ALARM SYSTEM

ITEM NO.	DESCRIPTION
SK-554	2-On-1 Alarm with 2 Ports & 5v Power Pass-Thru
SK-554-NP	2-On-1 Alarm with No Power
SK-554-RK	2-On-1 Alarm with 5v Power Pass-Thru & Remote Keyway
SK-554NP-RK	2-On-1 Alarm with No Power & Remote Keyway



4-ON-1

■ Optional Remote Keyway

4-ON-1 ALARM SYSTEM

ITEM NO.	DESCRIPTION
SK-554NP-4*	4-On-1 Alarm with 4 Ports, No Power
SK-554NP-RK-4*	4-On-1 Alarm with 4 Ports, No Power & Remote Keyway

* Also available with SK-395M Power Supply under a separate number.

THE 2-PIECE MICROMINI ALARM SYSTEM

A RECOILER & ALARM IN ONE TO PROTECT DISPLAY ITEMS



SK-4845
2-Piece MicroMini Alarm



MicroMini Base

MicroMini Alarm Removal Tool

MicroMini Alarm Top

SK-4800RC-2
Removal Tool

Loud
))) 98db (((
Alarm

MicroMini Alarm Shown Here with the Alarm Portion Separated from the Base



MicroMini Alarm Base Adhesive

- Alarms if an Unauthorized Magnet is Used
- Alarms if Wire is Cut
- Alarms if There is an Attempt to Twist Off the End
- Alarms if the Unit is Separated without IR Release
- Automatically Re-Arms when 2-Parts are Joined
- Visual Deterrent – LED's Blink Every 8-10 Seconds
- Replaceable Alarm Components, Recoiling Base, Top Alarm Unit & Batteries

- 3-5 Year Standby Battery Life
- 120 lb. Pull Strength

ITEM NO.	DESCRIPTION
SK-4845	2-Piece MicroMini Alarm
SK-4846T	Replacement MicroMini Alarm Top (Alarm Portion)
SK-4846B	Replacement MicroMini Alarm Base (Bottom Portion)
SK-4800RC-2	Keychain Removal Tool
SK-4841	One-Piece MicroMini Alarm
SK-4841AH	Replacement Adhesive for the MicroMini Alarm



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



SK-(SENSOR#) + PLE
Straight Wire Sensor

SENSOR DESCRIPTIONS

SK-(SENSOR#) + CLE
Coiled Sensor

EACH SENSOR MUST HAVE A PLE (STRAIGHT) OR CLE (COILED) SUFFIX

<p>SK-902*</p>  <p>Square Sensor- 1"W x 1"L x 1/2"H</p>	<p>SK-904</p>  <p>Rectangular Sensor- 1"W x 2"L x 1/4"H</p>	<p>SK-914</p>  <p>Waffle Sensor- 1-1/4"W x 3-3/8"L x 1/2"H</p>
<p>SK-915*</p>  <p>Mini Slim-Line Sensor- 1" dia. x 5/8"H</p>	<p>SK-917</p>  <p>Mini Slim-Line Sensor w/Hole- 1" dia. x 5/8"H</p>	<p>SK-922</p>  <p>Sideways Sensor- 7/16"W x 1-5/8"L x 5/16"H</p>
<p>SK-928</p>  <p>Allows USB Pass-Through USB Port Sensor- 13/16"W x 2"L x 7/16"H</p>	<p>SK-931</p>  <p>RCA Jack Sensor- 1-1/2"W x 9/16"L x 5/8"H</p>	<p>SK-932</p>  <p>Mouse Sensor- 11/16"W x 1"L x 1/2"H</p>
<p>SK-937</p>  <p>with Low Profile Sensor Light Micro USB Sensor- 13/16"W x 1-1/4"L x 3/8"H</p>	<p>USB-YP937 NEW</p>  <p>13/16"W x 1-1/4"L x 3/8"H Micro USB Sensor w/Power</p>	<p>SK-938</p>  <p>Non Pass-Through USB Port Sensor- 13/16"W x 1-1/2"L x 7/16"H</p>
<p>SK-939</p>  <p>Big Button Sensor- 3/4" dia. x 3/8"H</p>	<p>SK-940</p>  <p>Rect. Sensor w/Micro Switch- 1"W x 2"L x 1/4"H</p>	<p>SK-943*</p>  <p>Tie Sensor- 1"W x 1-1/2"L x 1"H</p>
<p>SK-944</p>  <p>RJ45 (Ethernet) Sensor- 7/16"W x 7/8"L x 5/16"H</p>	<p>SK-953</p>  <p>approx. 6-1/2" loop Collar Lasso Sensor- 1-1/4"W x 3/4"L x 7/8"H</p>	<p>SK-961*</p>  <p>Ant Sensor- 7/16"W x 11/16"L x 9/16"H</p>
<p>SK-968</p>  <p>Telephone Jack Sensor- 3/16"W x 3/4"L x 1/4"H</p>	<p>SK-974</p>  <p>Barrel Sensor- 1/2" dia. x 5/32"H</p>	<p>SK-977</p>  <p>USB C Sensor- 5/8"W x 1-1/4"L x 1/4"H</p>
<p>SK-989</p>  <p>Little Button Sensor- 1/2" dia. x 5/16"H</p>	<p>SK-997</p>  <p>Available in Right Angle Version Pneumatic (Air Tool) Sensor- 1/2" dia. x 1"H</p>	<p>SK96-3652B</p>  <p>Lasso Sensor- 1/2"W x 1-1/2"L Lasso</p>
<p>SKD-6168</p>  <p>Dual Sensor- (Ant To Telephone Jack)</p>	<p>SKD-0453</p>  <p>Dual Sensor- (Rectangular To Collar Lasso)</p>	<p>SKD-1111C</p>  <p>3/4"W x 1-1/4"L x 7/8"H Add-A-Port Sensor- (Creates 2 Sensor Ports)</p>

* These Sensors Have a Tie-Wrap Option Built-In.

Please specify, by using a suffix after the sensor number, whether you wish coiled wire (CLE) or straight wire (PLE). Sensors are available in white, grey and black (sold in black unless otherwise stated). Wires are approximately 6 feet in length (straight or stretched).



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



REMOTE ALARM SWITCHES

REMOTELY ARM/DISARM ALARMS




Remote Switches enable you to place your alarms out of sight while providing a convenient way to arm/disarm them.

ITEM NO.	DESCRIPTION
SK-99-423	Keyway Remote (for RM Alarms & Remote Switches)
SK-99-426	iButton Remote (for RM Alarms & Remote Switches)
SK-99-427	Keypad Remote (for RM Alarms & Remote Switches)
SK-99-428	RFID Remote (for RM Alarms & Remote Switches)

REMOTE SWITCH JUNCTION BOXES

ARM/DISARM MULTIPLE ALARMS



The Remote Switch Junction Box is Designed to allow you to control up to 6 alarms with the use of one Remote Switch. Works with Remote versions of the T-Series & ME Jr. +2 Alarms.

ITEM NO.	DESCRIPTION
SK-99-424-W	4 Port White Switch Junction Box
SK-99-424-6-W	6 Port White Switch Junction Box
SK-99-XXJ	Remote Alarm Connecting Cable (XX Designates Length)

SENSOR ACCESSORIES

ITEM NO.	DESCRIPTION
SK-905	1" X 2" Rectangular Adhesive
SK-906	1" x 1" Square Adhesive
SK-908	1" x 1-1/4" Tie Sensor Adhesive
SK-909	7/16" x 11/16" Ant Sensor Adhesive
SK-909NP	7/16" x 11/16" Neoprene Ant Sensor Adhesive
SK-916	1" Dia. Round Adhesive for Mini Slim-Line
SK-916-2	1" Dia. Rnd Adhesive for Mini Slim-Line w/Hole
SK-919	3-3/8" x 1-1/4" Adhesive for Waffle Sensor
SK-943T	11.5" Plastic Tie-Wrap
SK-943TL	15" Plastic Tie-Wrap (Long)
SK-947-6	6' Straight Wire "LE" Extension
SK-847-10	10' Straight Wire "LE" Extension
SK-947ME-10	10' Straight Wire "ME" Extension
SK-939AH	Big Button Sensor Adhesive (11/16" Dia.)
SK-989AH	Little Button Sensor Adhesive (1/2" Dia.)
SK-974AH	Barrel Sensor Adhesive (1/2" Dia.)

ITEM NO.	DESCRIPTION
SK-109	"LE" Shunt Plug
SK-947TW-04	4" Thru-The-Wall Cable
SK-552	Base Adhesive for the 4 Port Alarm Module
SK-889	Thru-The-Wall Adhesive
SKP-600K	Waffle Sensor Removal Tool
SK-AP1	Alcohol Prep Pad
SK-209ME	ME Sr. Shunt Plug
SK-1912	Rectangular Removal Tool
SK-1912G	Flexible Round Sensor Removal Tool
SK-1712	Wire Removal Tool
SK-1712HD	Heavy-Duty Wire Removal Tool
SK-99-102	Strip Clips for Mounting Strips to Pegboard
SK-974AH-P	1/2" Round Transfer Tape for use with SK-974 & Sk-989 Sensors
SK-585P	Transfer Tape for use with Angled Vantage II Sensors



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



VANTAGE II MERCHANDISE DISPLAY SYSTEM

DESIGN THE VANTAGE STAND YOU WANT!

Stands are available in a variety of heights, colors & configurations. Contact your Regional Salesperson or our Customer Service Dept. for additional information. Or simply visit our website at the following address:

<http://se-kure.com/products/power-phones-tablets/>

Click on the Design-A-Stand button and create your own stand.



Black 3" High
Vantage II
Shown with the
Black Micro USB
Power Cable



Blue 4" High
Vantage II
Stand
with Side
Grippers for
Tablets



Black Lock Down Device on White Angled
Stand for Smart Phones



PROTECT CELL PHONES, CAMERAS & TABLETS


White 3" High Vantage II Stand with Side Grippers Shown with the White USB C Power Cable



4" High Vantage II Stand for Tablets



Stand pivots and comes with Optional Sensor for Stylus



White 3" High Vantage II Round Stand with Side Grippers Shown with the White USB C Power Cable



Removable, Changeable Power Cables



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com





ELECTRONIC RECOILERS®

SELF-RETRACTING SYSTEMS ELIMINATE CORD CLUTTER

The **Electronic Recoiler®** enables you to protect displayed merchandise and reduce the visible wires. It incorporates any of our wide variety of sensors with a retractable cord. They are available in our standard size and the space-saving "D" version. They can be used with any of our alarm systems. The Standard Recoiler® Measures: 2-1/8"W x 3-7/16"L x 3-7/16"H; and the "D" Recoiler® Measures: 1-11/16"W x 2-3/4"L x 2-3/4"H.

While only a few variations are shown here, please contact us to discuss your needs.



U.S. Patent No. 5,552,771-US-RE 37,590

ITEM NO.	DESCRIPTION
SK-4592LE	Standard Electronic Recoiler (with SK-902 Series 1" x 1" Bug Sensor End)
SK-4593TP	Standard Electronic Recoiler (with Top Pull Ant Sensor End)
SK45-1067	Standard Electronic Recoiler (with SK-953 Series Collar Lasso Sensor End)
SK-4653LE	Compact "D" Electronic Recoiler (with SK-953 Series Collar Lasso Sensor End)

- Available With Any Of The Wide Variety Of Se-Kure Controls Sensors
- Standard or Space-Saver Versions
- Compatible With All Se-Kure Controls Alarm Systems
- Easily Mounts Within Your Fixture

BENDABLE LABEL SENSORS



U.S. Patent No. 5,644,295

ITEM NO.	DESCRIPTION
SK-891-B-W	Long Bendable Label Sensor 1/2"W x 3-11/8"L
SK-891-C-W	Butterfly Bendable Label Sensor 5/8"W x 2-15/16"L
SK-891-93-W	Short Butterfly Bendable Label Sensor 5/8"W x 2"L
SK-891-D-W	Round Bendable Label Sensor 3/4"W x 1-3/8"L
SK-891-E-W	T-Shaped Bendable Label Sensor 3/4"W x 1-3/8"L
SK-891-F-W	Short Right Bendable Label Sensor 1-5/16"W x 1-1/4"L
SK-891-G-W	Long Right Bendable Label Sensor 1-1/2"W x 1-1/4"L
SK-891-H-W	Sort Left Bendable Label Sensor 1-5/16"W x 1-1/4"L
SK-891-J-W	Long Left Bendable Label Sensor 1-1/2"W x 1-1/4"L

TILT ALARM

WARNS YOU OF UNAUTHORIZED ITEM MOVEMENT



- Available in Vertical or Horizontal Versions
- Low Battery Warning
- Compact Size: 4"L x 2-3/4"W x 7/8"D

The Tilt Alarm can be attached to any item to alert you of any unauthorized movement. The Horizontal version can be used on countertop jewelry spinners. It allows them to be spun, but not picked up and moved without sounding the alarm horn. Operates on one 9-volt battery (not included).

ITEM NO.	DESCRIPTION
SK-530	Horizontal Tilt Alarm
SK-530V	Vertical Tilt Alarm




3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



TALL GLASS ALARM

DISPLAY CASE SECURITY SYSTEM



SK-1481IR
Tall
Glass™
Sensors



- Protects Up To 6 Doors
- Remote Control Operation
- Remote Horn Available



The Tall Glass Alarm is a keyless entry system **designed for all types of display cases**. Easily installed with ordinary tools, electronic sensors are placed inside the case by each door to detect movement. When unauthorized movement occurs, the sensors activate the alarm horn. By using the remote control, sales associates move the alarm system into Admit/Authorized mode, and can open the door for an allotted time and then close it. If the door is left open too long, the alarm horn sounds a warning. It gets sales associates in the habit of unlocking the door, getting what is needed and closing the door. Once the door is closed, the alarm system automatically resets, regardless of the time delay you have selected. This feature helps eliminate distraction theft.

Uses (6) "C" cell batteries for back-up, (not included).

- AC Powered with Battery Back-Up
- 30/60/90/120 Second Delay
- Management Key Control

ITEM NO.	DESCRIPTION
SK-1488IR	Tall Glass Alarm System Kit Includes: (1) Alarm Module, (1) AC/DC Power Supply, (6) Door Sensors & (1) Remote
SK-1481IR-10	Tall Glass Sensors (each 10' long)
SK-1482IR	Tall Glass Remote Transmitter
SK-11-206	Extra Key for Tall Glass Alarm Module
SK-1485	Extra Magnets for Tall Glass Alarm System
SK-1484	Remote Horn
SK-1489	Adhesive for Mounting the Tall Glass Sensors

KONTROLCARD®

ELECTRONIC LOCKS FOR DISPLAY CABINETS, STORAGE CABINETS, & DRAWERS

12 Lock System

5 Lock System

1 or 2 Lock System

SK-KC12

Alarm & Actuator for 12 Locks



SK-KC5

Alarm & Actuator for 5 Locks with Card Reader



SK-KC2

Alarm & Actuator for 1 or 2 Locks with Card Reader



SK-KC-R1
Card Reader



SK-KC-M1
RFID Master Card

SK-KC-U1
RFID User Card

- One Key Card For All Your Showcases
- User Friendly
- No Software to Install
- No Mechanical Keys



ITEM NO.	DESCRIPTION
SK-KC5	Alarm & Actuator-5 for Locks with Card Reader
SK-KC-R1	Card Reader for KontrolCard Lock System
SK-KC12	Alarm & Actuator-12 for 12 Locks
SK-KC2	Alarm & Actuator for 1 or 2 Locks w/Card Reader
SK-KC-PS1495	Power Supply for KontrolCard Lock System
SK-KC-L1490	Electronic Lock for KontrolCard Lock System
SK-KC-P1491	Kit for Drawer
SK-KC-P1492	Kit for Double Turning Glass Door
SK-KC-P1493	Kit for Turning Glass Door
SK-KC-P1494	Kit for Sliding Door
SK-KC-P1495	Kit for Sliding Door with Through Hole
SK-KC-P1496	Kit for Turning Glass Door with Through Hole
SK-KC-U1	RFID User Card for KontrolCard Lock System
SK-KC-M1	RFID Master Card for KontrolCard Lock System
SK-KC-ST1	Service Tool for Installation of Lock System




3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



KLOTHING KONTROL ALARM


ADVANCED TECHNOLOGY FOR CLOTHING PROTECTION




SK-3600
3-1/8"W x 9-1/2"H
x 1-7/8"D



SK-3600TK
3-1/8"W x 10-7/8"H
x 1-1/2"D



- Designed to Fit on Wall, T-Stands, Waterfalls & Rounder Displays
- Protects Up To 20 Garments
- Simple Changeable Keypad Codes
- Select From (5) Five Different Sensors
- Up To 16 Months Of Battery Life
- Uses (6) AA Batteries (Included)
- Low Battery Alert
- Automatically Re-Arms



5 Sensors to Choose From

SK-3617S - Clothing Control Sensor	SK-3653S - Clothing Control Sensor for Garment Sleeves
SK-3652S - Standard Clothing Control Sensor w/Lasso	SK-3660S - Clothing Control Sensor w/Lasso
SK-3618S-W - Butterfly Clothing Control Sensor	SK-3618S-W - Butterfly Clothing Control Sensor

The Klothing Kontrol Alarm is a unique, tamper-resistant warning system. It offers the widest variety of sensors available to protect garments. It incorporates a "visual memory" that keeps the LED's flashing until the tampered sensor is identified and corrected. **It is the most powerful alarm on the market with up to 16 months battery life.** If the alarm is triggered, the battery power is capable of sustaining a continuous alarm for up to 6-1/2 days! It has the "Where-Its-At" option, that flashes a light at the top of the display to help locate the source of the alarm. Its compact size allows protection without being visually obtrusive.

ITEM NO.	DESCRIPTION
SK-3620	Klothing Kontrol Alarm Module (with 20 Klothing Kontrol Sensors & U-Bolt)
SK-3600	Klothing Kontrol Alarm Module (Black shown on display in inset)
SK-3600SS	Bright Stainless Steel Klothing Kontrol Alarm Module
SK-3600TK	Klothing Kontrol II Alarm Module with Full Keypad (Black)
SK-3617S	12 Foot (Coiled) Cord Klothing Kontrol Sensor Clip
SK-3652S	12 Foot (Straight Wire) Klothing Kontrol Lasso Sensor
SK-3653S	12 Foot (Coiled) Cord Klothing Kontrol Sensor for Garment Sleeves
SK-3660S	5 Foot (Coiled) plus 8 Foot (Straight) Klothing Kontrol Lasso Sensor
SK-3618S-W	6 Foot (Straight Wire) Butterfly Klothing Kontrol Sensor
SK-3690	"Where-Its-At" Light for the Klothing Kontrol Alarm System
SK-335KKA	U-Bolt with Nuts for Klothing Kontrol Alarm Module
SK-336	Universal Saddle Bracket for the Klothing Kontrol Alarm Module (see page 15)
SK-338	Shelf Standard Bracket for the Klothing Kontrol Alarm Module (see page 15)



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999


On the Web:
www.se-kure.com
Email:
info@se-kure.com



CABLE COAT LOCK

MECHANICAL PROTECTION FOR GARMENTS

**10
Cable
Colors
To
Choose
From:**




#61 #62



#63 #64



#65 #66



#67 #68



#69 #70

U.S. Patent No.
5,154,072

SK-301

Standard Duty Cable
 • SK-333 Holds 60 Cables • SK-383 Holds 96 Cables
 (1/16" Inside Diameter - 1/8" Outside Diameter)

SK-302

Medium Duty Cable
 • SK-333 Holds 60 Cables • SK-383 Holds 96 Cables
 (3/32" Inside Diameter - 1/8" Outside Diameter)

SK-303

Heavy Duty Cable
 • SK-333 Holds 40 Cables • SK-383 Holds 64 Cables
 (1/8" Inside Diameter - 3/16" Outside Diameter)



SK-383
 Extended Cable
 Coat Lock Housing
 w/T-Bar
 1-7/8"W x 8-5/8"H
 x 1-7/8"D




SK-333
 Standard Cable
 Coat Lock
 Housing w/T-Bar
 1-7/8"W x 6-1/2"H
 x 1-7/8"D



SK-363
 Cable Coat
 Lock with
 Narrow
 Slots
 1-7/8"W x 6-1/2"H
 x 1-7/8"D



Excellent for
 Leathers



SKP-336
 Wrench for Saddle
 Brackets

Available Brackets:



SK-338 SK-334 SK-336 SK-339
 Saddle Brackets

Standard Brackets



T-Bar U-Bolt

Hinged Doors

- Available in Standard & Extended Sizes
- Adaptable to Most Store Fixtures
- Standard, Medium & Heavy-Duty Cables
- Design Prevents Cables from Popping Out
- Easy Load/Unload Cable System
- Cables in 6 Ft. or 8 Ft. Lengths

The **Cable Coat Lock** provides instant security without customer inconvenience. Wall or rack-mounted, one design fits all cable sizes. Constructed of heavy-gauge steel, it uses key locks for simple locking. It features a hinged door, and unique construction that prevents cables from popping out when the box is opened, and accommodates a variety of cable diameters.

ITEM NO.	DESCRIPTION
SK-333	Cable Coat Lock Housing w/T-Bar Attachment
SK-333U	Cable Coat Lock Housing w/U-Bolt Attachment
SK-363	Cable Coat Lock w/Modified Slots & T-Bar Attachment
SK-363U	Cable Coat Lock w/Modified Slots & U-Bolt Attachment
SK-383	Extended Cable Coat Lock Housing w/T-Bar Attachment
SK-383U	Extended Cable Coat Lock Housing w/U-Bolt Attachment
SK-301	8' Standard Duty Cable w/Lasso, Black (1/16" I.D., 1/8" O.D.)
SK-301-6	6' Standard Duty Cable w/Lasso, Black (1/16" I.D., 1/8" O.D.)

ITEM NO.	DESCRIPTION
SK-302	8' Medium Duty Cable w/Lasso, Black (3/32" I.D., 1/8" O.D.)
SK-302-6	6' Medium Duty Cable w/Lasso, Black (3/32" I.D., 1/8" O.D.)
SK-303	8' Heavy-Duty Cable w/Lasso, Black (1/8" I.D., 3/16" O.D.)
SK-303-6	6' Heavy-Duty Cable w/Lasso, Black (1/8" I.D., 3/16" O.D.)
SK-334	Universal Saddle Bracket (1"W x 1"D)
SK-336	Universal Saddle Bracket (1"W x 2"D)
SK-338	Shelf Standard Bracket for Cable Coat Lock
SK-339	Universal Saddle Bracket (2"W x 1"D)

Cable Coat Lock Boxes Available in Black - Minimum Quantities Required



3714 Runge Street
 Franklin Park, IL 60131
1-(800) 322-2435
 (847) 288-1111
 Fax: (847) 288-9999

On the Web:
www.se-kure.com
 Email:
info@se-kure.com



SAFE-N-SEKURE RECOILER®

A RETRACTABLE DEVICE FOR EFFICIENT MERCHANDISING & WIRE MANAGEMENT



U.S. Patent No. 5,246,183

- Self-Retracting System Makes Neater Displays
- High Tensile Aircraft Cable with Protective Coating Extends to 4 Ft. in Length
- A Wide Variety of Ends

The **Safe-N-SeKure Recoiler®** keeps merchandise safe and wires from view. The Recoiler® easily attaches to any display counter or within any fixture. This unique recoiling system pulls out easily and then retracts smoothly into place. Recoiler Measures: 1-1/2"W x 2"H x 3-3/8"D with a 2-1/8" x 3-3/8" Base.

ITEM NO.	DESCRIPTION
SK-4500	Safe-N-SeKure Recoiler® with 1-1/2" Round Tuit End
SK-4500T	Safe-N-SeKure Recoiler® (Top Mount) with 1-1/2" Rnd Tuit End
SK-4500G	Safe-N-SeKure Recoiler® with 1-1/2" Flexible Round Tuit End
SK-4500TG	Safe-N-SeKure Recoiler® (Top Mount) w/Flexible Rnd Tuit End
SK-4509	1-1/2" Round Adhesive
SK-4510	Base Adhesive Pad (1-1/2" x 3-1/4")

AVAILABLE CABLE ENDS FOR ALL OF OUR MECHANICAL & RETRACTABLE DEVICES

Ball End #3 1/32" dia.	Swivel #5 .187" dia., size 1/0	Carabiner #6 Keyring Style 1-7/8" x 1"	Shaft Collar #7 1/4" IDW/Set Screw	Mech. Mouse Sensor #8 3/4" x 1" x 5/16"H	Collar Adj. Lasso #9 11/32" dia. x 7/32"	Collar Adj. Lasso #10 1/4" dia. x 3/16"	Swivel Snap Hooks #11 3/4" dia. x 2-3/4"
1" Sq. Flexible Tuit #12 1" sq. x 1/2"	Heavy Duty Adj. Lasso #13 3/4" dia. x 1-15/16"	Heavy Duty Adj. Lasso #13a w/Phillips Screw 3/4" dia. x 1-15/16"	Medium Duty Adj. Lasso #14 1/2" dia. x 1-1/4"	Medium Duty Adj. Lasso #14a w/Phillips Screw 1/2" dia. x 1-1/4"	Mini Slim-Line Tuit #15 1" dia. x 5/8"	Removable Tuit #16 1-1/4" dia. x 3/8"	BB Metal Tuit #17 3/4" x 1"
Metal Tuit #18 7/8" x 1-3/8"	Side Pull Flexible End #19 1-3/4" dia.	Flexible Round End* #20 1-1/2" dia.	Round Plug #21 1-1/4" dia. x 1/2"H	Button Stop #22 1/4" dia. x 1/4"	Lasso #23 3/8" x 7/16" w/1" Loop	Phone Connector #24 1/4" x 3/8" x 1/2"	Mushroom End #25 Available Attached or w/Stripped Wire 1/2" dia. x 1/2"
Rectangular Plug #27 1" x 2" x 1/2"H	Small Eyelet #28 3/16" ID - 11/32" OD	Large Eyelet #29 1/4" ID - 7/16" OD	Round Tuit #30 1-1/2" dia.	Round Tuit #31 1-1/4" dia.	Round Tuit #32 7/8" dia.	Half Tuit End #33 1-1/2" dia. x 3/4"	Swivel w/Strap #34 3/4" dia. x 1-3/8"
Ant Plug #35 7/16" x 11/16" x 9/16"H	Adjustable Lasso #36 1/2" x 1-1/4" x 3/8"D	L Plate #37 1-1/2" x 2"	L Plate #38 1" x 1" sq.	Bug Plug #39 1" x 1" sq. x 1/2"H	Round Disk Tuit #40 1-5/8" dia.	RJ 45 Plug #45 7/16" x 7/8" x 5/16"H	Mechanical Sideways Tuit #50 7/16" x 1-5/8" x 5/16"H

Cable Ends 13 & 14 come with security screws. 13a & 14a available with phillips head screws.

(See Page 21 for Replacement Cable Adhesives)



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



MINI RETRACTOR®

COMPACT SIZE

The Mini Retractor® features all of the benefits and versatility of the standard Recoiler in a compact size. It measures only 1-3/4"W X 2-3/4"L X 7/8"D with a 4' long pull with 0.045" diameter coated steel aircraft cable. Standard spring force is 1/4 lb. with optional spring forces of 3/4 lb., 1 lb. & 1-1/2 lb. Optional 0.0625" cable with a 36" pull. The Mini Retractor can be mounted on any of its three planes and has 3 exit points for the cable. Cases are Black and Cables are available in Black, Clear & White.



ITEM NO.	DESCRIPTION
SK-44XX	The Mini Retractor
XX = Cable End Number (see chart on page 16)	

See Page 16 for Cable Ends

RETRACTING MECHANICAL SECURITY

KEEPS DISPLAYS NEAT & ORGANIZED



All XX Cable Ends

TEARDROP RETRACTOR®

The Tear Drop® Retractor® offers mounting and usage flexibility. It's angled sides make it uniquely suited for POP displays and countertop applications. It measures 1-3/4"W X 2-1/2" L X 7/8"D with a 4' long pull with 0.045" diameter coated steel aircraft cable. Standard spring force is 1/4 lb. with optional spring forces of 3/4 lb., 1 lb. & 1-1/2 lb. Optional 0.0625" cable with a 36" pull. Cases are Black and Cables are available in Black, Clear & White

UNIQUE SHAPE EASY MOUNTING



ITEM NO.	DESCRIPTION
SK-44TDX	The TearDrop Retractor
XX = Cable End Number (see chart on page 16)	

See Page 21 for Cable Adhesives

THE MICROMINI® & THE SMALL ONE RETRACTORS®

SPACE SAVING SIZE



The MicroMini® Retractor® measuring only 1-9/16"W X 1-9/16"L X 9/16"D with a 4' long pull with 0.045" diameter coated steel aircraft cable. The Small One Retractor® measures only 2" L X 1-3/16" H X 5/8"W with a 34" long pull. Both have standard spring force of 1/4 lb. with an optional spring force of 3/4 lb. Optional 0.0625" cable with a 30" pull. Cases and Cables are available in Black, Clear and white.

ITEM NO.	DESCRIPTION
SK-43XX	The MicroMini Retractor
SK-41XX	The Small One Retractor
XX = Cable End Number (see chart on page 16)	

SLIM-LINE® RECOILER®

NEW SLIMMER DESIGN
SK-4232A



We've taken our Safe-N-SeKure Recoiler® and produced it in a slimmer design. It measures only 1"W x 3-3/8"L x 2"H with a 4' long pull with 0.0625" diameter coated steel aircraft cable. Standard spring force is 1 lb. with optional spring force of (2) 1 lb. springs. Optional 0.0938" cable with a 45" pull. The Slim-Line Recoiler can be mounted on any of its three planes and has 3 exit points for the cable. Cases are Black and Cables are available in Black, Clear & White.

The Slim-Line Recoiler®
Has 3 Available Cable Exits

ITEM NO.	DESCRIPTION
SK-42XX	Slim-Line Recoiler®
XX = Cable End Number (see chart on page 16)	

HEAVY-DUTY MECH. RECOILERS®

Heavy-Duty Mechanical Recoilers means increased security. SK-4544 measures: 2-1/8"W x 3-7/16"L x 3-7/16"H; with a 3' long pull with coated steel aircraft cable OD- 0.1250", ID- .0938 dia. An optional pull up to a 5' is available. The standard spring force is 1 lb. **D Recoiler-** SK-4623 measures: 1-3/16"W x 2-3/4"L x 2-3/4"H. with a 3' long pull with coated steel aircraft cable OD- 0.1250", ID- .0625 dia. An optional pull up to a 7' using cable OD- 0.0938", ID- 0.0625 diameters is available. The standard spring force is (2) 1 lb. springs.

SK-4544



SK-4623
"D" Recoiler



ITEM NO.	DESCRIPTION
SK-4544	Heavy-Duty Mech. Recoiler w/Lasso
SK-4623	Heavy-Duty "D" Recoiler w/Lasso



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



COILED SECURITY SYSTEM

MECHANICAL PROTECTION & MERCHANDISING CONTROL FOR SMALL ITEMS



Choice of Black, Beige, Grey, White or Clear Coils.

The **Coiled Security System** provides economical protection for small items. Simply attach one end of the coiled or straight cable to the merchandise and the other end to the shelf or fixture. Remote controls may be attached to the device they control. The special 3M adhesive adheres firmly and leaves no residue.

Adhesives Included With Cables

- 1/8" High Tensile Aircraft Cable with Protective Coating
- Easy To Install—No Tools Needed
- Will Not Damage Protected Items
- Flexible Ends Will Conform to Curved Surfaces
- Available in Black, Gray, White or Beige

ITEM NO.	DESCRIPTION	
SK-1901	5' (Straight) Cable with (2) Rectangular Plugs	
SK-1905	5' (Coiled) Cable with (2) Rectangular Plugs	
SK-1908	8' (Coiled) Cable with (2) Rectangular Plugs	
SK-1908-6	8' (Coiled) Cable plus 6' (Straight) with (2) Rectangular Plugs	
SK-8-40-8	40" (Coiled) Cable with (2) Small Eyelets	
SK-8-40-27	40" (Coiled) Cable w/Small Eyelet & Rectangular Plug	
SK-1909	1" x 2" Rectangular Adhesive Pads	
SK-1912	Standard Rectangular Removal Tool	
SK-1942	Rectangular (Fuzz/Hooks) Velcro Sets	

ITEM NO.	DESCRIPTION	
SK-1901G	5' (Straight) Cable with (2) 1-1/2" Flexible Round Plugs	
SK-1905G	5' (Coiled) Cable with (2) 1-1/2" Flexible Round Plugs	
SK-1908G	8' (Coiled) Cable with (2) 1-1/2" Flexible Round Plugs	
SK-1908-6G	8' (Coiled) Cable plus 6' (Straight) with (2) 1-1/2" Flexible Rnd Plugs	
SK-4509	1-1/2" Dia. Round Adhesive Pads	
SK-1912G	Removal Tool for Flexible Round Ends	
SK-1742	Round (Fuzz/Hooks) Velcro Sets	



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



PEG HOOK LOCK SECURITY

PROTECTS MERCHANDISE FROM GRAB & RUN



Available in Red, Black, & White



Extended Peg Hook Lock
Deters the Removal of Product
from Small Diameter Hooks

U.S. Patent No. 9,167,918,B2




Peg Hook Lock
Removal Device

ITEM NO.	DESCRIPTION
SK-PH2-06-B	Peg Hook Lock, Black, Extended Length, 6mm hole dia., Bag of 50
SK-PH2-06-R	Peg Hook Lock, Red, Extended Length, 6mm hole dia., Bag of 50
SK-PH2-06-W	Peg Hook Lock, White, Extended Length, 6mm hole dia., Bag of 50
SK-PH2-05-B	Peg Hook Lock, Black, Extended Length, 5mm hole dia., Bag of 50
SK-PH2-05-R	Peg Hook Lock, Red, Extended Length, 5mm hole dia., Bag of 50
SK-PH2-05-W	Peg Hook Lock, White, Extended Length, 5mm hole dia., Bag of 50
SK-PH2-08-B	Peg Hook Lock, Black, Extended Length, 8mm hole dia., Bag of 50
SK-PH2-08-R	Peg Hook Lock, Red, Extended Length, 8mm hole dia., Bag of 50
SK-PH2-08-W	Peg Hook Lock, White, Extended Length, 8mm hole dia., Bag of 50
SK-99-404	Peg Hook Lock Removal Tool

BELT LOCK SECURITY



REDUCE SHRINKAGE OF DESIGNER BELTS WITH BELT LOCK SECURITY



ITEM NO.	DESCRIPTION
SK-99-703FL	Chrome Se-Kure Belt Lock Security Device
SK-99-703FL-BL	Black Se-Kure Belt Lock Security Device

POWER CORD SECURITY

PROTECTS CORDED MERCHANDISE



Secure any corded device by locking the power cord into our Power Cord Lock Box.

ITEM NO.	DESCRIPTION
SK-364	Se-Kure Power Cord Lock Box



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



DESIGN-A-CABLE™

"CREATE YOUR OWN CABLE" AN EXCLUSIVE FROM SE-KURE CONTROLS

START OF CABLE			TYPE			COLOR			LENGTH			END OF CABLE		
END	NO.	DESCRIPTION	NO.	DESCRIPTION	NO.	DESCRIPTION	NO.	DESCRIPTION	NO.	DESCRIPTION	NO.	DESCRIPTION	END	
	3	Ball End	41	Str. 1/8" OD - 1/16" ID	61	Clear	81	6 Inch	3	Ball End				
	5	Swivel Size 1/0	42	**Str. 3/16" OD - 1/8" ID	62	White	82	12 Inch	5	Swivel Size 1/0				
	6	Keyring Carabineer	43	Coiled 1/8" OD - 1/16" ID	63	Black	83	18 Inch	6	Keyring Carabineer				
	7	Shaft Collar	44	Str. 1/16" OD - 3/64" ID	64	Gray	84	24 Inch	7	Shaft Collar				
	8	Mech. Mouse End	46	**Str. 1/8" OD - 3/32" ID	65	Brown	85	30 Inch	8	Mech. Mouse End				
	9	Collar Adj. Lasso	47	†Str. 5/16" OD - 3/16" ID	66	Cream	86	36 Inch	9	Collar Adj. Lasso				
	10	Collar Adj. Lasso	48	††Str. 1/22" OD - 1/32" ID	67	Green	87	5 Foot	10	Collar Adj. Lasso				
	11	Swivel Snap Hooks	49	Str. 3/32" OD - 1/16" ID	68	Yellow	88	8 Foot	11	Swivel Snap Hooks				
	12	1" Sq. Flexible Tuit			69	Red	89	10 Foot	12	1" Sq. Flexible Tuit				
	13	Heavy Duty Adj. Lasso			70	Blue	90	4 Foot	13	Heavy Duty Adj. Lasso				
	14	Medium Duty Adj. Lasso					91	6 Foot	14	Medium Duty Adj. Lasso				
	15	Mini Slim-Line Tuit							15	Mini Slim-Line Tuit				
	16	Removable Tuit							16	Removable Tuit				
	17	BB Metal Tuit							17	BB Metal Tuit				
	18	Metal Tuit							18	Metal Tuit				
	19	Side Pull Flexible End							19	Side Pull Flexible End				
	20	Flexible Round End							20	Flexible Round End				
	21	Round Plug							21	Round Plug				
	22	Button Stop							22	Button Stop				
	23	Lasso							23	Lasso				
	24	Phone Connector							24	Phone Connector				
	25	Mushroom End							25	Mushroom End				
	26	Stripped Wire w/Mushroom							26	Stripped Wire w/Mushroom				
	27	Rectangular Plug							27	Rectangular Plug				
	28	Small Eyelet							28	Small Eyelet				
	29	Large Eyelet							29	Large Eyelet				
	30	1-1/2" Round Tuit							30	1-1/2" Round Tuit				
	31	1-1/4" Round Tuit							31	1-1/4" Round Tuit				
	32	7/8" Round Tuit							32	7/8" Round Tuit				
	33	1/2 Tuit (1-1/2" x 3/4")							33	1/2 Tuit (1-1/2" x 3/4")				
	34	Swivel w/Strap							34	Swivel w/Strap				
	35	Ant Plug (7/16" x 11/16")							35	Ant Plug (7/16" x 11/16")				
	36	Adjustable Lasso							36	Adjustable Lasso				
	37	L Plate (1-1/2" x 2")							37	L Plate (1-1/2" x 2")				
	38	L Plate (1" x 1")							38	L Plate (1" x 1")				
	39	Bug Plug (1" x 1")							39	Bug Plug (1" x 1")				
	40	1-5/8" Rnd Disk Tuit							40	1-5/8" Rnd Disk Tuit				
	45	RJ45 Plug							45	RJ45 Plug				
	50	Mech. Sideways Tuit							50	Mech. Sideways Tuit				
	51A	EAS L Plate w/Slot							51B	EAS L Plate w/Hole				

See Page 16 for Dimensions

See Page 21 for Cable Adhesives

Se-Kure Controls Makes It Easy . . .

to design, and precisely order just the right size, type, color and attachments you desire for the cable that specifically meets your needs.

Here's How... Simply follow the chart above and specify the quantity, the start of cable number, the cable type number, length number, and end of cable number.

Qty. SK-

Example: 1 SK- 21 43 63 87 21
(1) 5 Ft. Black Coil with 2 Round Plugs

Special Note:
 13 & 14 Become 13A & 14A with a Phillips Head Screw

** Cable Types #42 & #46 only work with end #s: 13, 23, 29, 34, 37, 38 & 40.
 † Cable Type #47 only works with end #13.
 †† Cable Type #48 works with all ends except end #s: 13, 14 & 36

← **ORDER THIS #**

Required Security Allen Wrenches: End #9 Use Wrench SKP-101K, #10 Use Wrench SKP-100K, Ends #13 & 14 Use Wrench SKP-200K, End #36 Use Wrench SKP-416K (Sold Separately)



3714 Runge Street
 Franklin Park, IL 60131
 1-(800) 322-2435
 (847) 288-1111
 Fax: (847) 288-9999

On the Web:
www.se-kure.com
 Email:
info@se-kure.com



MECHANICAL SECURITY SYSTEMS













MECHANICAL CABLES & PLATES DESIGNED TO PROTECT NEARLY EVERYTHING



ITEM NO.	DESCRIPTION
SK-162	6' Cable (1/16" I.D. - 1/8" O.D.) with Small & Large Stop
SK-163	6' Cable (3/32" I.D. - 1/8" O.D.) with Small & Large Stop
SK-189	6 Slot Safe-N-SeKure Lock Box (1-3/4" x 4-5/8" x 3/4"D)
SK-185	"L" Plate (1-1/2" x 2")
SK-190	Mounting Plate with "Ears" (3" x 3")
SK-192	Standard Mounting Plate (3" x 3")
SK-193	Mounting Plate with Tube (3" x 3")
SK-194	Mounting Plate with Tube (5" x 5")
SK-196	Mounting Plate with Tube (2-1/2" x 5")

ITEM NO.	DESCRIPTION
SK-168	6' Cable (1/8" I.D. - 3/16" O.D.) with Small & Large Stop
SK-169	6' Cable (3/16" I.D. - 1/8" O.D.) with Small & Large Stop
SK-198	2 Slot Lock Box (1-7/8" x 3" x 15/16"D) uses SKP-200K Wrench
SK-191-2	Adhesive (1-1/2" x 2") for SK-185 "L" Plate
SK-191	Adhesive (3" x 3") for SK-190, SK-192 & SK-193 Plates
SK-197	Adhesive (2-1/2" x 5") for SK-196 Mounting Plate
SK-199	Adhesive (5" x 5") for SK-194 Mounting Plate
SK-110	Extra Key for SK-189 Lock Box
SKP-200K	Security Wrench for SK-198 Lock Box

MECH. CABLE ADHESIVES

ITEM NO.	DESCRIPTION	FITS END #
SK-958	Round (1" Dia.) 	#16 (Removable Tuit)
SK-1709	Round (1-1/4" Dia.) 	#16 (Removable Tuit) #21 (Round Plug) #31 (1-1/4" Round Tuit)
SK-4519-3	Rectangular (1" x 3/4") 	#17 (BB Metal Tuit)
SK-918	Rectangular (1-3/8" x 7/8") 	#18 (Metal Tuit)
SK-905G	Round (1-3/4" Dia.) 	#19 (Side Pull MG)
SK-4509	Round (1-1/2" Dia.) 	#20 (Round Flexible End) #30 (1-1/2" Round Tuit) #40 (1-5/8" Round Tuit)
SK-1909	Rectangular (1" x 2") 	#27 (Rectangular Plug)
SK-1707	Round (7/8" Dia.) 	#32 (7/8" Round Tuit)
SK-4519	Rectangular (1-1/2" x 3/4") 	#33 (Half Tuit)
SK-909	Rectangular (7/16" x 11/16") 	#35 (Ant Plug)
SK-191-2	Rectangular (1-1/2" x 2") 	#37 (1-1/2" x 2" L Plate)
SK-1909-3	Square (1" x 1") 	#38 (1" x 1" L Plate) #39 (Bug Plug)

TV SAFETY CABLES THE TV TETHER CABLE KIT



Includes Hardware Kit to secure all types of TVs

Collar Lasso
U.S. Patent No. 6,927,689 B2

Keeps TVs from falling over

ITEM NO.	DESCRIPTION
WM-0214	TV Tether Cable Kit



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



SEKURE TRACK™

PROTECTS EXPENSIVE & POPULAR NOTEBOOK & LAPTOP COMPUTERS



■ Adjusts to Any Width Notebook or Laptop



SK-732
Se-KureTrack™
Gripper Assembly

U.S. Patent No. 9,996,710 B2



SK-7315 Se-KureTrack™
1.5 Ft. Se-KureTrack™ Shown

ITEM NO.	DESCRIPTION
SK-7315	1.5 Foot SeKureTrack™ (with 2 Hex Nuts & Carriage Bolts)
SK-733	3 Foot SeKureTrack™ (with 3 Hex Nuts & Carriage Bolts)
SK-732	SeKureTrack™ Gripper Assembly
SKP-192	Driver Bit for SeKureTrack™ Gripper Security Screws
SKP-193	Security Driver for SeKureTrack™ Driver Bit

SKP-192
Security Driver
Bit



SKP-193
Security Driver

SMART PHONE & TABLET LOCK DOWN DEVICE

NO TOOLS REQUIRED TO REMOVE OR INSTALL DISPLAY MERCHANDISE ON THIS DEVICE



Patent Pending

- Adjusts from 2.20" to 4.81" W & 4.18" to 6.75" H
- Fits Standard & Plus Size Smart Phones
- Black Anodized Aluminum
- Mounts to Display w/2 Bolts & Nuts
- Quick & Easy Change of Display Merchandise without the Need for Tools

ITEM NO.	DESCRIPTION
SK-650	Black Lock Down Device for Smart Phones
SK-650-W	Black Lock Down Device with White Angled Stand for Smart Phones
SK-651	Conversion Kit for Small Tablets (2.20" to 4.81" W & 6.68" to 9.25" H) (56mm to 122mm W & 169mm to 234mm H)
SK-652	Conversion Kit for Tablets (4.7" to 7.125" W & 6.68" to 9.25" H) (120mm to 180mm W & 169mm to 234mm H)
SK-653	Conversion Kit for Large Tablets (4.7" to 7.125" W & 9.18" to 11.75" H) (120mm to 180mm W & 233mm to 298mm H)
SK-654	Conversion Kit for Taller Fingers, 0.75" H (Two Side Fingers, One Each Top & Bottom 19mm)




3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999


On the Web:
www.se-kure.com
Email:
info@se-kure.com



SE-KURE HANDBAG SECURITY




SK-4323-3C-12



SK-4323-3C-4



SK-ND4323C



SK-NM4323-HS



- Protects Handbags Against Grab & Run
- Small MicroMini® Retractor® Allows Customers to Examine Handbags & Retracts to Keep Merchandise Neat & Clean

ITEM NO.	DESCRIPTION
SK-4323-3C-12	MicroMini® Retractor® with Lasso, Clear Wire, 12" Lead, Carabiner & Attached Adhesive
SK-4323C-4	MicroMini® Retractor® with Clear Wire & Housing, 24" Lead, & Fixed Lasso
SK-ND4323C	MicroMini® Retractor® with Clear Wire & Housing, Attached Adhesive & 20mm Padlock
SK-NM4323-HS	MicroMini® Retractor® with Attached Adhesive & 20mm Padlock

HD LOCK & CHAIN

DESIGNED TO PROTECT HIGH VALUE INDOOR & OUTDOOR EQUIPMENT



- Electro Zinc Plated Steel for Rust Resistance
- Protective Nylon Cover Prevents Scratches
- Through Hardened (Stronger Than Case Hardened)

ITEM NO.	DESCRIPTION
SK-HDChain-10	10 Ft. Se-Kure Heavy Duty Security Max Chain
SK-HDLock	Se-Kure Heavy Duty Padlock
(Standard Chain Length is 10 Feet - Other Lengths Available in Quantity)	

U.S. Patent No.
5,823,358

SE-KURE PURSE SECURITY

THE ROUND PURSE LOCK BOX ACTUALLY BECOMES PART OF THE DISPLAY

- Unique Locking Mechanism Entraps Purse Shoulder Straps
- Locks Up to 12 Purses (Depending on Size)
- Designed for Counter Top or Floor Stands



The Round Purse Lock Box keeps handbags in check with a durable locking mechanism that entraps the purse shoulder straps, preventing purses from being lifted off. Crafted from sturdy chrome plated steel, the unit easily snaps into standard tubular display stands.

ITEM NO.	DESCRIPTION
SK-99-100-2	Se-Kure Black Purse Security



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com





SAFETY & SECURITY MIRRORS

SHATTER RESISTANT MIRRORS ELIMINATE BLIND SPOTS



SK-1449
Drop-Ceiling
Bracket

- Wide Angle Increases Visibility
- Made of High Impact Acrylic
- Fade Resistant
- 20% Brighter Than Glass Mirrors
- Mounting Hardware Included



Convex detection mirrors are a retailer's first line of defense against shoplifting and pilferage. They increase aisle visibility, eliminate blind spots and are excellent as safety mirrors in preventing intersection accidents. Additional weatherproofing available for outdoor mirrors. Includes mounting hardware.

ITEM NO.	DESCRIPTION
SK-12P	12" Diameter Round Se-Kure-View Mirror with Bracket
SK-18P	18" Diameter Round Se-Kure-View Mirror with Bracket
SK-26P	26" Diameter Round Se-Kure-View Mirror with Bracket
SK-30P	30" Diameter Round Se-Kure-View Mirror with Bracket
SK-36P	36" Diameter Round Se-Kure-View Mirror with Bracket
SK-48P	48" Diameter Round Se-Kure-View Mirror with Bracket

ITEM NO.	DESCRIPTION
SK-12-18P	12" x 18" Roundtangular Mirror with Mounting Bracket
SK-18-26P	18" x 26" Roundtangular Mirror with Mounting Bracket
SK-20-30P	20" x 30" Roundtangular Mirror with Mounting Bracket
SK-24-36P	24" x 36" Roundtangular Mirror with Mounting Bracket
SK-1449	Drop-Ceiling Mounting Bracket

For Outdoor Weatherproofing
(Add the letters OD as a suffix to the Item Number)

DOMEVEX® WIDE VIEW CONVEX MIRRORS

UNIQUE WIDE VIEW DESIGN PROVIDES A FULL 180° LOW DISTORTION VIEWING

16" DIA.



4" Deep

24" DIA.



5" Deep

36" DIA.



7" Deep

42" DIA.



9" Deep

- Easy Installation
- Hardware Included
- Shatter Resistant Acrylic Mirror
- 3 Times the Viewing Area of a Convex Mirror
- Offers a 180 Degree View

ITEM NO.	DESCRIPTION
SK-16P-DD	16 inch Indoor DomeVex® Wide View Convex Mirror
SK-24P-DD	24 inch Indoor DomeVex® Wide View Convex Mirror
SK-32P-DD	32 inch Indoor DomeVex® Wide View Convex Mirror
SK-42P-DD	42 inch Indoor DomeVex® Wide View Convex Mirror
SK-16P-DD-OD	16 inch Outdoor DomeVex® Wide View Convex Mirror
SK-24P-DD-OD	24 inch Outdoor DomeVex® Wide View Convex Mirror
SK-32P-DD-OD	32 inch Outdoor DomeVex® Wide View Convex Mirror
SK-42P-DD-OD	42 inch Outdoor DomeVex® Wide View Convex Mirror




3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



OMNI-VIEW MIRRORED DOMES



How to Position
360° Full Domes

Office-Eye™

Omni-View Mirrored Domes are an excellent tool providing a full reflective hemisphere for use when large area surveillance is the problem. It gives a full 200° viewing area from any one location. Available as a dome only with hanging chains, or unitized with a 2' x 2' panel in select sizes. Office-Eye™ mounts with screws, double adhesive, or velcro.

- Shatter Resistant
- 360° Surveillance Viewing
- Some Models Available with 2' x 2' Panels
- Variety of Sizes



ITEM NO.	DESCRIPTION
SK-360-18	18" Omni-View Mirrored Dome & Hardware
SK-360-22	22" Omni-View Mirrored Dome & Hardware
SK-360-26	26" Omni-View Mirrored Dome & Hardware
SK-360-32	32" Omni-View Mirrored Dome & Hardware
SK-360-36	36" Omni-View Mirrored Dome & Hardware
SK-360-48	48" Omni-View Mirrored Dome & Hardware
SK-360-60	60" Omni-View Mirrored Dome & Hardware


ITEM NO.	DESCRIPTION
SK-360-18T	18" Omni-View One-Piece Mirrored Dome in 2' x 2' Panel
SK-360-22T	22" Omni-View One-Piece Mirrored Dome in 2' x 2' Panel

ITEM NO.	DESCRIPTION
SK-360-EYE	17"W x 8-1/2"H Office-Eye™ Mirror

OMNI-VIEW MIRRORED 3/4, 1/2, & 1/4 DOMES

Mirrored Three-Quarter, Half, & Mirrored Quarter Domes are made with the same attention to quality as our Mirrored Domes. Mounting hardware included for easy installation.

3/4 DOMES USED FOR OUTSIDE CORNERS




How to Position
270° View
Corner Domes

ITEM NO.	DESCRIPTION
SK-270-18	18" Omni-View Mirrored 3/4 "Corner Dome"
SK-270-26	26" Omni-View Mirrored 3/4 "Corner Dome"


1/2 DOMES USED FOR "T" INTERSECTIONS

How to Position 180°
Half Domes



ITEM NO.	DESCRIPTION
SK-180-18	18" Omni-View Mirrored Half Dome
SK-180-26	26" Omni-View Mirrored Half Dome
SK-180-32	32" Omni-View Mirrored Half Dome
SK-180-36	36" Omni-View Mirrored Half Dome
SK-180-48	48" Omni-View Mirrored Half Dome

1/4 DOMES USED FOR INSIDE CORNERS



How to Position 90°
Quarter Domes

ITEM NO.	DESCRIPTION
SK-90-18	18" Omni-View Mirrored Quarter Dome
SK-90-26	26" Omni-View Mirrored Quarter Dome
SK-90-32	32" Omni-View Mirrored Quarter Dome
SK-90-36	36" Omni-View Mirrored Quarter Dome
SK-90-48	48" Omni-View Mirrored Quarter Dome



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



THE SMOKIE DOME™

WORKS WITH CCTV SURVEILLANCE CAMERAS FOR THE ULTIMATE IN SECURITY



SK-88-200 - 22" One-Piece Medium Smokie Dome

Smokie Domes provide a smartly designed theft deterrent that can be positioned and mounted with a camera or left empty. Shoplifters will never know which domes are *live*. Choose from a variety of sizes and configurations. Formed panels, flat panels, 2' x 2', 2' x 4', or no panels at all, these domes fit easily into all standard drop ceilings.

SK-88-324 - 12" Medium Smokie Dome w/2'x2' Formed Panel



SK-88-308FP - 8" Medium Smokie Dome w/2'x2' Formed Panel



Universal Camera Mounting Bracket

- Excellent for CCTV Surveillance
- Economical
- Lightweight
- Easy to Install
- Pressure-Formed Cell Cast Acrylic
- Less Than 1 f-stop Light Loss
- Panels Available Formed or Flat
- Light Shield & Camera Brackets Available

VIDEO DOME

Mounts To:

- Ceiling
- Wall
- Conduit



ITEM NO.	DESCRIPTION
SK-88-436D	Se-Kure Video Dome – Simulated, White Base
SK-88-436D-B	Se-Kure Video Dome – Simulated, Black Base

ITEM NO.	SIZE	DESCRIPTION/ACCESSORIES
SK-88-200	22"	(1 Pc.) Med. Smokie Dome & 2' x 2' Panel in Light Shield
SK-88-335	18"	(1 Pc.) Med. Smokie Dome & 2' x 2' Panel in Light Shield
SK-88-308	8"	Med Smokie Dome w/2' x 2' Flat Panel & Light Shield
SK-88-308FP	8"	Med Smokie Dome w/2' x 2' Formed Panel & Light Shield
SK-88-324	12"	Med Smokie Dome w/2' x 2' Formed Panel & Light Shield
SK-88-348	12"	Med Smokie Dome w/2' x 4' Flat Panel & Light Shield
SK-88-349	8"	Med Smokie Dome w/2' x 4' Flat Panel & Light Shield
SK-88-310	---	2' x 2' Black Light Shield Only (Flat)
SK-3.5D	3.5"	Medium Smokie Dome (Dome Only) Special Order (Min. Qty. 25)
SK-5.5D	5.5"	Medium Smokie Dome (Dome Only) Special Order (Min. Qty. 25)
SK-8D	8"	Medium Smokie Dome (Dome Only)
SK-10D	10"	Medium Smokie Dome (Dome Only)
SK-12D	12"	Medium Smokie Dome (Dome Only)
SK-18D	18"	Medium Smokie Dome (Dome Only)
SK-22D	22"	Medium Smokie Dome (Dome Only)
SK-88-326	2' x 2'	White HIPS Formed Panel for Grid Ceilings w/12" Hole
SK-88-327	2' x 2'	White HIPS Formed Panel for Grid Ceilings w/8" Hole
SK-88-321	2' x 2'	White PVC Panel (flat) for Grid Ceilings w/8" Hole
SK-88-358	2' x 4'	White PVC Panel (flat) for Grid Ceilings w/12" Hole
SK-88-359	2' x 4'	White PVC Panel (flat) for Grid Ceilings w/8" Hole
SK-88-825	---	Universal Camera Mounting Bracket
SK-88-825P	---	Universal Camera Mounting Bracket with Plate
SK-88-322XX	2' x 2'	Flat White 2' x 2' PVC Panel (XX = Hole Size)
SK-88-342XX	2' x 4'	Flat White 2' x 4' PVC Panel (XX = Hole Size)



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com




SK-88-410WB
SK-88-414

THE SMOKIE GLOBE™

360° SURVEILLANCE VIRTUALLY ANYWHERE

- Acrylic Material
- White or Black Tops Available
- Less Than 1 f-stop Light Loss
- Camera Bracket Included
- Use for Open Ceilings
- Cost Effective
- Easy Installation




SK-88-720W



SK-88-720WM

— 4.5" —



ITEM NO.	DESCRIPTION
SK-88-410	10" Smokie Globe with Camera Bracket (Black over Black)
SK-88-414	14" Smokie Globe with Camera Bracket (Black over Black)
<small>(To Order White over Black, Add WB Suffix To The Item Number)</small>	
SK-88-710C	4.5" Mini Globe with Camera & Bracket for Ceiling Mount (Special Order)
SK-88-710W	4.5" Mini Globe with Camera & Bracket for Wall Mount (Special Order)
SK-88-720C	4.5" Mini Globe with Bracket for Ceiling Mount (Special Order)
SK-88-720W	4.5" Mini Globe with Camera Bracket for Wall Mount (Special Order)
<small>(Mirrored Mini Globe: Add the Suffix M to the end of the Item Number) (Conduit & Conduit Connectors Not Included)</small>	

Smokie Globes™ provide the same theft deterrence as domes, but in an open ceiling environment. Safety wire runs up the conduit to secure the globe to the ceiling, providing added protection. Includes hardware for fast, easy installation.

Mini Globes™ provide the same deterrence as our regular globes at a much smaller size and fit just about anywhere. **(Conduit & Conduit Connectors Not Included).**

DUMMY GLOBE

VIRTUALLY INDISTINGUISHABLE FROM THE REAL THING



SK-88-408D-1



SK-88-410D


Dummy Globes provide cost effective theft deterrence in exposed ceiling areas.

ITEM NO.	DESCRIPTION
SK-88-408D	8" Dummy Globe (White over Black) Special Order
SK-88-410D	10" Dummy Globe (White over Black)
SK-88-412D	12" Dummy Globe (White over Black)
SK-88-408D-1	8" Dummy Globe (White over Black) w/Wall Bracket (Special Order)

VIDEO DOME

WITH FLASHING LED LIGHT

- Cast Aluminum Body
- Flashing Red LED Flashes Every 1.8 Seconds
- Long Battery Life (2) AA Batteries Last Over 3 Years
- Batteries Included
- Simple Mounting



SK-88-503

Measures:
 3"W x 4-3/4"L x 5-1/4"H
 Removable Antenna 2-3/4"H
 (included in overall Height)
 Wt: 0.6 lb.

ITEM NO.	DESCRIPTION
SK-88-503	Se-Kure Video Dome w/Flashing LED & Shelf Std Bracket
SK-88-503-90B	SSe-Kure Video Dome w/Flashing LED & 90° Bracket



3714 Runge Street
 Franklin Park, IL 60131
1-(800) 322-2435
 (847) 288-1111
 Fax: (847) 288-9999


On the Web:
www.se-kure.com
 Email:
info@se-kure.com



THE BOB* MIRROR

**THE BOTTOM OF THE BASKET MIRROR*

- Light Weight Mirrored Acrylic Provides Bright, Clear Image
- Top of Convex Has Vanity Shield
- Rounded Corners Prevent Snags
- Available in Custom Colors
- Design Matches Any Decor
- Quick & Easy Install
- Deters Theft
- Durable



- Reduces Oversight
- Second Surface Printing

ITEM NO.	DESCRIPTION
SK-360-BOB-B	Blue BOB Mirror
SK-360-BOB-R	Red BOB Mirror
SK-360-BOB-G	Green BOB Mirror

SUPER SEE™ PANELS & DOMES

AVAILABLE IN MIRRORRED, MIRRORRED SEE-THRU, BRONZE & BRONZE SMOKED SEE-THRU

- Used for Grid Ceilings
- High Quality Acrylic
- Lightweight

SK-2424SS Bronze See-Thru



SK-24-48M Mirrored Panel



SK-360-22SS
Bronze One Piece Dome with 2' x 2' Panel

Our See-Thru Panels and Domes are designed for CCTV camera usage or visual viewing. A variety of sizes and shapes are available. Different colors and custom cuts/shapes may be special-ordered to fit the décor of most retail stores.

ITEM NO.	DESCRIPTION
SK-24-24M	24" x 24" Mirrored Ceiling Tile
SK-24-48M	24" x 48" Mirrored Ceiling Tile
SK-360-22SS	22" Bronze One Piece Dome in 2' x 2' Bronze Ceiling Tile

ITEM NO.	DESCRIPTION
SK-2424MS	24" x 24" Mirrored See-Thru Ceiling Tile
SK-2448MS	24" x 48" Mirrored See-Thru Ceiling Tile
SK-2424SS	24" x 24" Bronze Smoked See-Thru Ceiling Tile, Non Mirror
SK-2448SS	24" x 48" Bronze Smoked See-Thru Ceiling Tile, Non Mirror



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



SECURITY SHOE COILS *BY SE-KURE*



- Easy To Install
- Easy To Remove With The Special Removal Tool
- Customers Easily Try Shoes On
- Available With & Without EAS

– Available in 3 Styles –

Shoe Coil with 1 Cable Clutch

Shoe Coil with 2 Cable Clutches

Shoe Coil with EAS Tag & 1 Cable Clutch



The Se-Kure Security Shoe Coils are quick and easy to install. The wire simply slides through the lace eyelets and an EAS attachment or Cable Clutch slides onto each end. Removal of the Security Shoe Coil is also quick with a tap of each end onto the removal tool.

ITEM NO.	DESCRIPTION
SK-11-660	Shoe Coil with (1) Cable Clutch & (1) EAS Tag
SK-11-661	Shoe Coil with (1) Cable Clutch Only
SK-11-662	Shoe Coil with (2) Cable Clutches

Patent Pending

EAS SUPER TAGS FOR CLOTHING MERCHANDISE



ITEM NO.	DESCRIPTION
SK-11-650	EAS (AM) Hard Tags

EAS CLOTHING STRAP HARD TAGS



ITEM NO.	DESCRIPTION
SK-11-655	EAS (AM) Clothing Strap Hard Tags



EAS HARD TAG & SHOE COIL REMOVAL TOOL

Removes EAS Hard Tags & Cable Clutches

ITEM NO.	DESCRIPTION
SK-565	EAS Hard Tag & Shoe Coil Removal Tool

ALL EAS TAGS ARE AVAILABLE IN AM (ACCUSTO-MAGNETIC)

For RF (Radio Frequency) Contact Your Se-Kure Customer Service Representative for Details



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com



WIRELESS ANNUNCIATOR

AUDIBLE NOTIFICATION OF CUSTOMER ENTRY



SK-22-310
Wireless Receiver



SK-22-315
Wireless Transmitter



- Easy to Install
- Traffic Counter Available
- Use Indoors or Out

The Wireless Sensor/Annunciator System gives users time to prepare for guests and customers, as well as for unwelcomed visitors.

This unique system is ideal for use in retail stores, effectively providing convenience, peace of mind and improving customer service. As many as (3) transmitters can be used with one receiver. The receiver may be mounted up to 100' from the transmitters. When the transmitter detects a customer, it sends a signal to the receiver, which emits a tone. The optional counter enables you to monitor traffic flow and gauge the effect of advertising, promotions, displays, etc.

Versatile, battery operated motion detectors are always functioning, ready to transmit a wireless signal to the receiver upon detection of motion.

ITEM NO.	DESCRIPTION
SK-22-310	Wireless Receiver
SK-22-315	Wireless Transmitter (indoor/outdoor)
SK-22-320	Traffic Counter Kit – Includes: (1) Receiver, (1) Transmitter & (1) Electronic Traffic Counter

ELECTRONIC EYE

Built-In Traffic Counter



This system protects an area or announces the presence of customers up to 25 feet away. The attractive, one-piece electronic eye is powered by a remote 12 volt transformer. Kit includes transformer, 70 feet of wire, instructions, a built-in counter and a one year warranty.

ITEM NO.	DESCRIPTION
SK-EE12	Complete Electronic Eye System with Traffic Counter

MINI ANNUNCIATOR



- Easy To Install
- Compact & Portable
- 60° Wide Detecting Area
- Includes Mounting Hardware
- Uses (1) 9V Battery
- Rotates 360° To Allow 255° Viewable Angle
- Audible Alarm (Siren Or Chime)
- Fixed Installation To The Wall (Vert. Or Horiz.)

ITEM NO.	DESCRIPTION
SK-22-400	Mini Alarm/Annunciator



CASH DROP BOXES

- Heavy-Duty Steel Construction
- Hinged Access Doors
- Variety of Sizes ■ Key Locks



SK-700R

SK-700FS



SK-700SM



SK-705

Keep excess currency out of the cash register and safely behind lock and key. Cash Drop Boxes come with convenient mounting holes for easy wall, floor or under counter installation. Available with dual locks, keyed differently, for maximum security.

ITEM NO.	DESCRIPTION
SK-700R	Cash Drop Box (8-1/4"W x 6-7/16"H x 8-5/8"D) with (2) Interior Lock Boxes (3-1/8"W x 6"H x 8-7/16"D)
SK-700FS	Double Lock Cash Drop Box (6-1/2"W x 7"H x 10"D)
SK-701FS	Single Lock Cash Drop Box (6-1/2"W x 7"H x 10"D)
SK-700SM	Single Lock Cash Drop Box w/Pusher Bar (6-1/2"W x 7"H x 10"D)
SK-705	Single Lock Cash Drop Box w/Top Slot (6-1/8"W x 10-1/8"H x 4"D)

EAS SECURITY RINGS



Protecting Product



On Removal Tool

- Adjustable Ring Fits a Variety of Displayed Items
- Metal Ring Version Offers Extra Security
- Excellent Detection
- Easy to Lock with One Hand
- Quick & Easy Removal with the SK-565

ITEM NO.	DESCRIPTION
SK-11-670	EAS Security Ring (AM Accusto-Magnetic)
SK-11-671	EAS Metal Security Ring (AM Accusto-Magnetic)
SK-565	EAS Hard Tag Removal Tool

ELEC. KEYPAD DOOR LOCKS

- Multi-Level User Capacity
- Available with Changeable Cores

Trilogy Series locksets allow up to 100 individual codes, allowing master, manager, emergency and service codes. A variety of models are available, some allowing an audit trail of activity to be printed, event scheduling for weekends, or even a real time clock.



Available In Four Finishes

ITEM NO.	DESCRIPTION
SK-DL270026D	Trilogy Electronic Lock (Satin Chrome)
SK-DL2700IC26D	Trilogy Electronic Lock (Interchangeable Core)

EXIT DOOR ALARMS



ITEM NO.	DESCRIPTION
SK-AL250X28	Clapper Plate Style Exit Door Alarm (Aluminum Finish Only)
SK-AL700X28	Full Door Exit Alarm (Avail. in Red, Durodnic or Aluminum Finishes)
SK-ALPG21MS	Sirenlock™ Exit Door Alarm (Available in Metallic Silver Only)



3714 Runge Street
Franklin Park, IL 60131
1-(800) 322-2435
(847) 288-1111
Fax: (847) 288-9999

On the Web:
www.se-kure.com
Email:
info@se-kure.com





Chicago Area Facilities

With two facilities in suburban Chicago, and one in Michigan, Se-Kure Controls is one of the leading Manufacturers and Distributors of State-of-the-Art Security Products.



Assembly Production Lines



Plastic Injection Molding



Metal Shop

Michigan Facilities

Mission Statement

Se-Kure Controls® develops & manufactures innovative asset protection systems that maximize the return on investment for its retail and industrial customers.

We anticipate and promptly respond to customer needs in a manner consistent with our tradition of

Quality through Design.



Mirror Coating Department

If You Don't See It, We'll Build It!

Visit Us On The Web
www.se-kure.com



U.S. Patent Numbers

One or more of the following patents may cover products shown in this catalog:

3,902,340	4,455,464	4,623,765	5,103,984	5,154,072	5,160,048
5,172,098	5,246,183	5,279,135	5,341,124	5,421,667	5,552,771
5,565,848	5,571,855	5,676,258	5,823,358	5,861,807	5,936,525
6,027,277	9,167,918,B2			9,007,211,B1	
	Des. 335,439			Des. 345,092	

(Other U.S. & Foreign Patents Pending)



Made In USA